

PARAMOUNT ARTS CENTER
ASHLAND, KENTUCKY

TECHNICAL SUMMARY

This is an informational summary. It lists critical dimensions of the stage and the technical equipment currently in use in the buildings. It is intended for general information. If any data is especially critical, call to confirm that information.

THEATRE ADDRESS & MAIN CONTACTS:

Paramount Arts Center
1300 Winchester Ave.
Ashland, KY 41101
(606) 324-3175
Fax (606) 324-1233
www.paramountartscenter.com

Norma Meek - Executive Director
Theresa Maddy – Executive Assistant
Ritchie Collins – Technical Director
Brian Newman – Maintenance Technician
Stage Crew- Local I.A.T.S.E.

Technical Services:

Ritchie Collins:
Phone: (606) 324-3175
Fax: (606) 324-1233
Cell: (606) 831-3916
oritichinalmusic@yahoo.com

Event Coordinator :

Theresa Maddy:
Phone: (606) 324-3175
Fax: (606) 324-1233

Programming:

Norma Meek:
Phone: (606) 324-3175
Fax: (606) 324-1233

INDEX

SUMMARY

- 1.0 STAGE
- 2.0 ORCHESTRA
- 3.0 FLOOR
- 4.0 LOADING DOCKS
- 5.0 SOFT GOODS/FLY SYSTEM
- 6.0 THEATRICAL LIGHTING SYSTEM
- 7.0 MONITOR SYSTEM
- 8.0 INTERCOM
- 9.0 MICROPHONES
- 10.0 FRONT of HOUSE AUDIO
- 11.0 RESTRICTIONS
- 12.0 LINE ROSTER
- 13.0 ORCHESTRA SHELL
- 14.0 RISERS, STANDS, ETC.
- 15.0 DRESS ROOM
- 16.0 WARDROBE ROOM
- 17.0 PRODUCTION OFFICE
- 18.0 GENERAL AREA INFORMATION

SUMMARY

TYPE OF THEATRE: RENOVATED MOVIE THEATER WITH PROSCENIUM STAGE ADDITION- RESTORED IN 1972- RENOVATED IN 2001. SEATING 1417- 760 SEATS BALCONY & 657 SEATS MAIN FLOOR.

Handicapped Access

1 Wheelchair location Main Left Row BB- end seat
1 Wheelchair location Main Left Row C-- end seat
1 Wheelchair locations Main Right Row BB – end seat
1 Wheelchair locations Main Right Row c – end seat
Wheelchair lift to Main Floor of theater
Handicapped accessible restroom, lobby, concession areas, backstage, and dressing rooms.

1.0 STAGE

Proscenium height: 24'11"

Proscenium width: 58'0"

Apron width: 58'0"

Apron depth: 4'0"

Plaster line to back wall: 47'0"

2.0 ORCHESTRA

Dimensions of orchestra pit: 41 x 11

Seating capacity: 70

Pit cover: yes (available upon request)

Access to pit: tunnel under stage

Conductor chair: no

Orchestra stands: available upon request

Orchestra chairs: available upon request

Piano: Baldwin Concert Grand

3.0 FLOOR

Floor: sprung wooden floor (new 2001)

Color: black

Restrictions: case hardened lagbolts only

Dance floor: Marley (available upon request)

Color: black

Offstage floor: Concrete

4.0 LOADING DOCKS

Dock 1 height: 36"

Distance from stage: 40'0"

Bay doors: 10 x 12

Location: stage right

Dock 2 height: 36"

Distance from stage: 8'0"

Bay doors: 10 x 12

Location: stage right

5.0 SOFT GOODS

Curtain Type: velour

Legs: (8) 14 x 26 black * see attached line roster

Main Curtain: gold * see attached line roster

Borders: (2) 67 x 10 black * see attached line roster

Projection screen: * see attached line roster

Cyc: 29 x 60 white-distance from plaster line- 39'0"

Crossover: yes

Type of Fly System: T-BAR TRACK

Location: Stage left

Number of line sets: 63 * see attached line roster

Grid height: 62'4"

Pipe diameter: schedule 80

Pipe length: 67'0" feet

Permanent flying units: Orchestral shell, back drops, movie screen *see line roster

6.0 THEATRICAL LIGHTING

Light Board: 1

ETC Expression

Fixtures: 300

8- 410 ETC Source Four 10 degree Ellipsoidals

110- 419 ETC Source Four 19 degree Ellipsoidals

60- 426 ETC Source Four 26 degree Ellipsoidals

30- 436 ETC Source Four 36 degree Ellipsoidals

24- 11411 Strand SL Zoom-variable focus 15/32 degree Ellipsoidals

40- 12181 Strand 8" Fresnelite

2- 26191 Strand Iris 4 Cyclight

7- 108-592 Colortran Cyc Strip

16- Par 64

Dimmers: 2

ETC Sensor dimmers- 192 1.8kw

183 2.4kw

Spots: 2

LYCIAN 1290- 2000 Xenon

Power:

400 Amp Disconnect (Lighting) located upstage left and upstage right.

200 Amp Disconnect (Audio) located downstage right.

60 Amp Disconnect shore power.

Front of House Coves:

2 FOH coves house left 9 circuits each cove

2 FOH coves house right 9 circuits each cove

Front of House Booms:

2 booms house left 12 circuits

2 booms house right 12 circuits

Stage Trees:

10-3 circuit floor pockets

4-4 circuit floor pockets

Proscenium Lighting:

5 electric rails with a total of 168 patchable circuits. (See attached rigging list.)

Highsides: 20 circuits stage left; 20 circuits stage right

7.0 MONITOR SYSTEM

Monitor console: 40 channel YAMAHA M 3000

Floor monitors: 10(ten) CLAIR BROTHERS AUDIO WEDGE A

Drum fill sub: 1(one) CLAIR BROTHERS AUDIO ML-18

Monitor amplification and processing: 9 (nine) CLAIR BROTHERS AUDIO 2000Q

Sidefill cabinets: 2 CLAIR BROTHERS AUDIO R4111

Sidefill amplification: LF- 1 CLAIR BROTHERS AUDIO CBX-1100

MF- 1 CLAIR BROTHERS AUDIO CBX-900

HF- 1 CLAIR BROTHERS AUDIO CBX-700

Sidefill crossover: BSS Mini Drive

Monitor equalizers: 5 KLARK TEKNIK DN-360 STEREO 31 BAND GRAPHIC EQ

8.0 INTERCOM

Intercom: 2 channel main station CLEAR COM MS232

6 belt packs CLEAR COM

6 headsets CLEAR COM

1 Stage manager station CLEAR COM

Assisted listening system: TELEX/SOUNDMATE

9.0 MICROPHONES

Vocal mics: 6 SHURE BETA 58

Drum mics: 4 SHURE BETA 98

1 SHURE BETA 52

3 SHURE SM-81

Instrument mics: 8 SHURE SM-57

Wireless mics: 2 SHURE U24D/B58 or WL185 LAV

Podium mic: 1 SHURE MX418SE/C

Floor mics: 3 CROWN PCC 160

Direct boxes: 5 COUNTRYMAN TYPE 85

10.0 FRONT OF HOUSE AUDIO

Main house system left and right: (4) CLAIR BROTHERS AUDIO R3T NE

Center cluster: (4) CLAIR BROTHERS AUDIO R2T

Delay system: (4) CLAIR BROTHERS AUDIO R2DNH

Subwoofers: (8) CLAIR BROTHERS AUDIO ML-18

Front fills: (8) PAS PB100B

Amplification:

Lows - 1 CLAIR BROTHERS AUDIO CBA 4000

Midrange - 2 CLAIR BROTHERS AUDIO CBA 2000

Highs - 2 CLAIR BROTHERS AUDIO CBA 1400

Center Cluster: Lows-1 CLAIR BROTHERS AUDIO CBX 900

Highs- 1 CLAIR BROTHERS AUDIO CBX 700

Delay system: Lows- 1 CLAIR BROTHERS AUDIO CBX 900

Highs- 1 CLAIR BROTHERS AUDIO CBX 700

Subwoofers: 1 CLAIR BROTHERS AUDIO CBA 4000

Front Fills: 2 CLAIR BROTHERS AUDIO CBX 700

Equalization: 3 KLARK TEKNIK KN360B

Processing: BSS 9088-LL

Front of House Console: 44 CHANNEL YAMAHA M3000

Front of House EFX: 1 YAMAHA SPX-1000

1 YAMAHA SPX-90

1 KLARK TEKNIK DN-514B QUAD GATE

1 KLARK TEKNIK DN-504B QUAD COMPRESSOR

Snake: 48 Channel 3 way ISOLATED

11.0 RESTRICTIONS

House Speakers must be accepted by Artist

Maximum db not to exceed 96

12.0 LINE ROSTER

LINE	US OF PL	PURPOSE	WEIGHT LBS	SIZE	DESCRIPTION
0	1'4"	FIRE CURTAIN		61'2-1/2 X 26'11"	
1	1'8"	GRAND VALANCE	1500	67'0" X 12'0"	
2	2'4"	GRAND DRAPE	2400	2/35'0" X 26'0"	
3	3'0"	OPEN	1500		
4	3'8"	OPEN	1500		
5	4'4"	1 ST ELECTRIC	2400		42 CIRCUITS
6	5'0"	OPEN	1500		
7	5'8"	OPEN	1500		
8	6'4"	ORCHESTRA SHELL	2400		
9	7'0"	OPEN	1500		
10	7'8"	1 ST LEG	1500	2/14'0" X 26'0"	
11	8'4"	OPEN	1500		
12	9'0"	1 ST BORDER	1500	67'0" X 10'0"	
13	9'8"	OPEN	1500		
14	10'4"	2 ND ELECTRIC	2400		32 CIRCUITS
15	11'0"	OPEN	1500		
16	11'8"	OPEN	1500		
17	12'4"	OPEN	1500		
18	13'0"	OPEN	2400	2/35'0" X 26'0"	
19	13'8"	INTERMISSION CURTAIN	1500	67'0" X 26'0"	
20	14'4"	OPEN	1500		
21	15'0"	OPEN	1500		
22	15'8"	ORCHESTRA SHELL	2400		
23	16'4"	OPEN	1500		
24	17'0"	2 ND BORDER	1500	67'0" X 10'0"	
25	17'8"	OPEN	1500		
26	18'4"	3 RD ELECTRIC	2400		32 CIRCUITS
27	19'0"	OPEN	1500		
28	19'8"	2 ND LEGS	1500	2/14'0" X 26'0"	
29	20'4"	OPEN	1500		
30	21'0"	OPEN	1500		
31	21'8"	OPEN	1500		
32	22'4"	OPEN	1500		
33	23'0"	OPEN	1500		
34	23'8"	OPEN	1500		
35	24'4"	OPEN	1500		
36	25'0"	ORCHESTRA SHELL	2400	67'0" X 10'0"	
37	25'8"	OPEN	1500		
38	26'4"	4 TH ELECTRIC	2400		30 CIRCUITS
39	27'0"	OPEN	1500		
40	27'8"	3 RD LEGS	1500	2/14'0" X 26'0"	
41	28'4"	OPEN	1500		
42	29'0"	OPEN	1500		
43	29'8"	OPEN	1500		
44	30'4"	OPEN	1500		
45	31'8"	OPEN	1500		
46	32'4"	OPEN	1500		
47	33'0"	ORCHESTRA SHELL	1500	67'0" X 10'0"	
48	33'8"	4 TH LEGS	1500	2/14'0" X 26'0"	
49	34'4"	5 TH ELECTRIC	2400		32 CIRCUITS
50	35'0"	OPEN	1500		
51	35'8"	OPEN	1500		
52	36'4"	OPEN	1500	67'0" X 10'0"	
53	37'0"	OPEN	1500		
54	37'8"	OBSTRUCTED- 6 TH ELECTRIC	2400		28 CIRCUITS
		REAR WALL ORCH SHELL	3800	WILL NOT REMOVE	
55	38'4"	OPEN	1500		
56	39'0"	OPEN	1500		
57	39'8"	SCRIM	1500		
58	40'4"	REAR CURTAIN	2400	2/35'0' X 26'0"	
59	41'0"	59-63 ORCHESTRA SHELL	SIDEWALL	STORAGE	CAN NOT BE REMOVED
60	41'8"				
61	42'4"				
62	43'0"				

63	43'8"				
----	-------	--	--	--	--

13.0 WENGER DIVA ORCHESTRA SHELL

26 ETC Source Four Par Lights patched into house dimming system

14.0 RISERS, STANDS, ETC.

10 4x8 Wenger risers

16 Music Stands with lights

Full complement of microphone stands

15.0 DRESSING ROOMS

2 Chorus Room: 15-20 person occupancy

1 Cast Room: 5-9 person occupancy

1 Star/Principle room: 3-5 person occupancy

1 Star room: 1-2 person occupancy

Paging System available from Stage to Dressing Room Area.

16.0 WARDROBE ROOM

2 Heavy Duty Washers/Dryers

2 Steamer

2 Iron Board/Irons

Paging System available from Stage to Wardrobe Room Area.

17.0 PRODUCTION OFFICE

One phone line

No fax Line

Internet Connection

Paging System available from Stage to Production Office Area.

18.0 GENERAL INFORMATION

Taxi Services:

Ashland Yellow Cab Company (606) 324-4134

Hotels in Ashland KY

Ashland Plaza Hotel

15th & Winchester Avenue

(606) 329-0055

One block from the Paramount Arts Center

160 units, Located in downtown Ashland. Private Parking. Major credit cards accepted. Banquet and meeting room facilities with a meeting room capacity of 350 people.

Quality Inn

4708 Winchester Avenue
(606) 325-8989 or (800) HOLIDAY
10 minutes from the Paramount Arts Center
55 units, located on U.S. 23, 2 miles south of downtown Ashland, 5 miles north of I-64. Free continental breakfast, heated indoor pool, Jacuzzi, meeting room capacity for 50 people.

Days Inn

13131 Slone Court
(606) 929-1720
15 minutes from the Paramount Arts Center
Located near Routes 60 and 180, Has 87 units, an indoor pool, internet access, and a meeting room.

Holiday Inn Express

US 23 South
(606) 739-5676 or (800) 2 Ramada
10 minutes from the Paramount Arts Center
Newly built with 70 units, located off I-64 exit 191. Handicap accessible, indoor swimming pool, Jacuzzi suites, continental breakfast, and cable TV. Meeting room capacity for 50 people.

Best Western

18199 US 23
(606) 638-3418
20 minutes from the Paramount Arts Center
Accessible facilities, Air-conditioned
Business center, Free Wi-Fi, Free breakfast
Free parking, Gym, Indoor pool, Laundry
Room service

Fairfield Inn by Marriott

10945 U.S. 60
(606) 928-1222
15 minutes from the Paramount Arts Center
63 units, located next to KYOVA Mall on U.S. 60. Continental breakfast, indoor swimming pool and Jacuzzi, handicap facilities available. Suites available. Meeting

room capacity for 15 people.

Hampton Inn

1321 Cannonsburg Road
(606) 928-2888 or (800) HAMPTON
15 minutes from the Paramount Arts Center
60 units, located off U.S. 60, just off I-64 exit 185. Handicap facilities, kitchenettes, indoor swimming pool, exercise equipment, Jacuzzi rooms, guest laundry, free parking. Meeting room capacity for 15 people.

Local Restaurants
(Within walking distance)

- BELLA FONTE RESTAURANT**
1320 Carter Ave.....606/920-7682
- BOB EVANS RESTAURANT**
1224 Carter Ave. 606/324-1600
- BURGER KING**
1200 Winchester Ave 606/928-6927
- FAT PATTY'S**
144 Winchester Ave.....606/325-7287
- THE FRAME-UP GALLERY**
1436 Winchester Ave. 606/324-8565
- LaFINCA MEXICAN RESTAURANT**
1201 Greenup Ave. 606/324-2134
- STARBUCKS**
1201 Winchester Ave.....606/329-0010

Local Catering

Bellefonte Country Club
208 Country Club Drive
Ashland, KY 41101
(606) 324-2107

Chick-fil-A
410 River Hill Dr.
Ashland, KY 41101
(606) 324-7469

China Wok
711 Martin Luther King Jr. Blvd.
Ashland, KY 41101
(606) 324-8186

Alma's Italian
1450 Greenup Ave
Ashland, KY 41101
(606) 326-1548

Texas Roadhouse
501 Winchester Ave
Ashland, KY 41101

(606) 325-5188

Area Hospitals

Kings Daughters' Medical Center
Lexington Avenue.....606/408-4000

Our Lady of Bellefonte Hospital

1700 Turner Street.....606/833-2273

Parking

CREW AND ARTISTS: Trucks and buses may remain parked in loading dock as space allows. Supplemental parking is available on street or in lot east of theater after 5:00 PM.

PUBLIC: On street Parking. Shuttle service to and from parking Garage located on 13th Street and Bath Avenue (2 blocks from theater).

Travel Directions

The Paramount Arts Center is located in downtown Ashland, KY at 1300 Winchester Avenue, the main thoroughfare of the city.

From I-64, take exit 191 to US 23 North. If coming from Lexington, KY, traveling east, turn left from the exit. If coming from Charleston WV, traveling west, turn right from the exit.

Once on US 23, continue several miles passing through the city limits of Catlettsburg, KY and then entering Ashland. After passing by the "Welcome to Ashland" sign, located on your right, continue straight through the intersection. At this point US 23 turns into Winchester Avenue. The theater is located at 13th Street and Winchester Avenue just a few miles on the left.

From US 52 in Ohio, cross the bridge from Ohio into Ashland, KY. At traffic light make a left and the theater is one block on your right.